

ProClick

INTUITIVE - RELIABLE - SAFE
Always everything at hand




From the workshop...

...via the transport...

...to the construction site...

...and back



Click and go The ProClick system

- Unique mobility system with guaranteed one-hand operation
- Robust and tear-resistant material
- Safe transport due to simple and intuitive click connection
- Quick access to all tools and consumables and still have your hands free
- Flexible, clear and tidy storage
- More safety through reflective safety strips



Simply clear Our icons



Compatible with the Sortimo system



Maximum load per bag: 12 kg



Compatible with the ProClick system



Maximum load per bag: 24 kg



Made from polyester 1000D



Maximum load capacity: 1 kg



Integrated ClickUnit for clicking on and off the holder



Maximum load capacity: 5 kg



Maximum belt width



Maximum load capacity: 24 kg



Clickable with the L-BOXX system



Clickable with ClickTray M74



Clickable with the L-BOXX Mini

The core and link of the system:
the holder



- Simple, reliable and flexible handling
- Individually combinable components
- High-quality and robust materials
- Compatible with the L-BOXX® system
- Integration into the Sortimo in-vehicle equipment systems

ProClick is changing the way professional craftsmen carry their tools.

The ergonomically padded Tool Belt or simply your own belt forms the basis - the ProClick holder is the heart and hub of the system. Unique: awkward threading and unthreading of the belt is a thing of the past thanks to ProClick. If necessary, the holder can be removed in no time at all or fastened to the belt with the clever quick-release system.

The various tool bags, flexible storage solutions and robust holders, which are equipped with a so-called ClickUnit, can be clicked into place and firmly connected to the holder with a single movement. So you always have everything at hand and still have your hands free.

Tool Bag M



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	2.86 kg	6100000961	30	72.90
Exterior:	480 x 260 x 330 mm			

Open tool bag with soft handle and shoulder strap

Zipper pocket with side velcro closure • Outside pockets • Flap pocket with velcro closure • Spirit level holder with velcro closure • Tape loops (inside) • Outside tape loops for Holder storage • UnitOrganizer • Reflective safety stripes • Clickable with the L-BOXX system • Adjustable shoulder strap with padding

Soft Bag M



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	2.21 kg	6100000966	60	82.90
Exterior:	480 x 260 x 330 mm			

Closed tool bag with padded carrying handle and shoulder strap

Main compartment with 2-way zip • Tape loops for Holder storage • Open outer compartments • Flap pocket with velcro closure including open inner compartments • Zipper pocket with rubberised grip • Spacious outer pocket including inner tape loops • Open inner compartments • Integrated laptop pocket with velcro closure and rubber loops • Elastic straps inside • Adjustable shoulder strap with mesh padding • Clickable with the L-BOXX system • Reflective safety stripes

Soft Bag S



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	1.59 kg	6100000970	80	62.90
Exterior:	350 x 330 x 220 mm			

Closed tool shoulder bag with rubberised carrying handle and shoulder strap

Flap with side zips and velcro closure • Open outer compartments • Outside zip pocket • Adjustable shoulder strap with mesh padding • Large main compartment on the back with velcro closure and trolley strap • Numerous inner compartments and rubber loops • Reflective safety stripes • Waterproof bottom made of PP • Clickable with L-BOXX Mini & L-BOXX Micro



Holder



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.08 kg	6100000971	3024	6.90
Exterior:	83 x 58 x 27 mm			

The core and most important connecting element of the ProClick system.
 Element for fastening to the belt • Safe clicking • Release only possible by unlocking button



Tool Belt



Technical data		Item no.	Pallet unit	RRP in € *
Tool Belt S	Padding length: 800 mm Length-adjustable: 800-950 mm Weight: 0.48 kg	6100000957	384	31.90
Tool Belt M	Padding length: 900 mm Length-adjustable: 900-1150 mm Weight: 0.49 kg	6100000958		
Tool Belt L	Padding length: 1000 mm Length-adjustable: 1000-1350 mm Weight: 0.50 kg	6100000959		
Tool Belt XL	Padding length: 1200 mm Length-adjustable: 1200-1550 mm Weight: 0.51 kg	6100000960		

Padded tool belt with practical one-hand operation.
 The length of the ergonomically padded belt is length-adjustable and adapts to any body size.



Suspenders



Technical data		Item no.	Pallet unit	RRP in € *
Suspenders S/M	Padding length: 420 mm Length-adjustable: 900-1250 mm Weight: 0.36 kg	6100000967	204	29.90
Suspenders L/XL	Padding length: 520 mm Length-adjustable: 1050-1400 mm Weight: 0.40 kg	6100000968	408	

Padded 4-point support system for tool belts
Carabiner for attachment to tool belt for ergonomic load balance on the body.
Breathable shoulder area • Ergonomic padding • Polyester strap for holding the ProClick Holder • Adjustable • Reflective safety strips
• Open pockets • Pen loop

Tool Board S6



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.17 kg	6100000963	1440	15.90
Exterior:	210 x 160 x 40 mm			

Tool belt holder for flexible transport of tools on the belt
Individual positioning and secure transport on the belt thanks to patented click connection between ClickUnit and Holder.
Elastic loops • Webbing loop for carabiner • Pen loops

Hammer Holder S



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.24 kg	6100000962	624	18.90
Exterior:	210 x 160 x 100 mm			

Pivoting hammer holder for flexible transport of a hammer on the belt
Individual positioning and secure transport on the belt thanks to patented click connection between ClickUnit and Holder.
Webbing loop for carabiner • Pen loops • Pivoting hammer holder from left to right

Smart Pouch S



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.16 kg	6100000964	900	18.90
Exterior:	200 x 120 x 70 mm			

Small tool belt pouch with flap for flexible and safe transport of sensitive equipment such as smartphones or measuring devices on the belt
Individual positioning and secure transport on the belt thanks to patented click connection between ClickUnit and Holder.
Pen loops • Webbing loop for carabiner • Recess for cable run

Nail Pouch



Technical data		Item no.	Pallet unit	RRP in € *
Nail Pouch S		6100000965	512	18.90
Weight:	0.21 kg		384	22.90
Exterior:	180 x 140 x 120 mm			
Nail Pouch M		6100000953		
Weight:	0.27 kg			
Exterior:	270 x 140 x 120 mm			

Tool belt pouch for flexible transport with integrated drawstring pocket that prevents consumables from falling out
 Individual positioning and secure transport on the belt thanks to patented click connection between ClickUnit and Holder.
 Elastic loops • Webbing loop for carabiner • Drawstring bag made of soft polyester material

Tool Pouch M 14



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.27 kg	6100000951	384	22.90
Exterior:	270 x 140 x 120 mm			

Open tool belt pouch for flexible transport of tools on the belt
 Individual positioning and secure transport on the belt thanks to patented click connection between ClickUnit and Holder.
 Elastic loops • Webbing loop for carabiner

Tool Pouch L 16



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.33 kg	6100000954	192	26.90
Exterior:	270 x 220 x 120 mm			

Open tool belt pouch for flexible transport of tools on the belt
 Individual positioning and secure transport on the belt thanks to patented click connection between ClickUnit and Holder.
 Elastic loops • Webbing loop for carabiner

Tool Pouch L 36



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.52 kg	6100000955	80	30.90
Exterior:	270 x 220 x 200 mm			

Open tool belt pouch for flexible transport of tools on the belt
 Individual positioning and secure transport on the belt thanks to patented click connection between ClickUnit and Holder.
 Elastic loops • Webbing loop for carabiner • Outer pocket compatible with inset boxes • Pen loop • Separate inner compartment • Kickstand

Tool Pouch L 39



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.55 kg	6100000956	80	32.90
Exterior:	270 x 260 x 200 mm			

Open tool belt pouch for flexible transport of tools on the belt
 Individual positioning and secure transport on the belt thanks to patented click connection between ClickUnit and Holder.
 Elastic loops • Webbing loop for carabiner • Outer pocket compatible with inset boxes • Pen loop • Separate inner compartment • Kick-stand • Hammer holder • Adjustable loop with buckle • Metal clip holder

UnitOrganizer



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.04 kg	6100000972	1.200	9.90
Exterior:	200 x 40 x 17 mm			

Storage bar for all products equipped with a ClickUnit.
Available in a set of 2 incl. 4 screws for mounting on a wall or also in the vehicle interior.
 Drill holes and screws for fixing at the wall

Battery Adapter Set 1.0



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.05 kg	6100000973	1.440	8.90
Exterior:	74 x 98 x 36 mm			

Battery holder for safe carrying of a spare battery on the tool belt. Holder additionally required.
 Suitable for the AMPShare battery system powered by Bosch, all commercially available CAS 18V and the Hilti B22 batteries.
 Quantity per set: 2 x ProClick battery adapter
 Individual positioning and secure transport on the belt thanks to patented click connection between ClickUnit and Holder.



Battery Mount Set 1.0



Technical data		Item no.	Pallet unit	RRP in € *
Weight:	0.13 kg	6100000974	1.152	9.90
Exterior:	73 x 120 x 48 mm			

Battery holder incl. holder for safe carrying of a spare battery on the tool belt.
 Suitable for the AMPShare battery system powered by Bosch, all commercially available CAS 18V and the Hilti B22 batteries.
 Quantity per set: 1 x ProClick holder, 1 x ProClick battery adapter
 Individual positioning and secure transport on the belt thanks to patented click connection between ClickUnit and Holder.



ClickTray M 74



Technical data	Item no.	Pallet unit	RRP in € *
Weight: 0.6 kg Exterior: 440 x 231 x 88 mm Interior: 365 x 226 x 75 mm	6100000975	133	22.90

Waterproof, clickable tray for storing tools or consumables.
Integrated inset box grid • 2 coupling levers • Carrying in combination






ClickTray accessories

	RRP in € excl. VAT	Pallet unit	Item no.
  Foam Insert M 74 Pre-perforated raster foam for individual adjustment	15.60	240	6100001041
  Anti-Slip Mat M Soft insert mat to protect the ClickTray and the goods	4.90	500	6100001042
  Inset Box Set A3 CT M 74 28x Inset Box A3 red	13.60	114	6100000976
  Inset Box Set AB3 CT M 74 12x Inset Box A3 red 8x Inset Box B3 yellow	13.60	114	6100000977
  Inset Box Set B3 CT M 74 14x Inset Box B3 yellow	13.60	114	6100000978
  Inset Box Set BC3 CT M 74 6x Inset Box C3 blue 2x Inset Box B3 yellow	13.60	114	6100000979
  Inset Box Set CD3 CT M 74 4x Inset Box C3 blue 2x Inset Box D3 green	13.60	114	6100000980
  Inset Box Set H3 CT M 74 2x Inset Box A3 red, B3 yellow 2x Inset Box C3 blue, Box F3 orange 1x Inset Box D3 green	13.60	114	6100000981

Product	Description	RRP in € excl. VAT	Pallet unit	Item no.
	Inset Boxes A3 red single-variety packaging unit, 48 pieces	28.50	140	6000001817
	Inset Boxes B3 yellow single-variety packaging unit, 24 pieces	25.50	140	6000001818
	Inset Boxes C3 blue single-variety packaging unit, 12 pieces	23.20	140	6000001712
	Inset Boxes D3 green single-variety packaging unit, 8 pieces	22.40	140	6000001713
	Inset Boxes F3 orange single-variety packaging unit, 12 pieces	34.30	140	6000012257
	Inset Boxes G3 dark green single-variety packaging unit, 4 pieces	23.20	140	6000001819

Matrix Inset Boxes
(outer dimensions in mm)

ProClick
ClickTray M 74

	Inset Box A3 red W52 x D52 x H63	
	Inset Box B3 yellow W104 x D52 x H63	
	Inset Box C3 blue W104 x D104 x H63	
	Inset Box D3 green W156 x D104 x H63	
	Inset Box F3 orange W208 x D52 x H63	
	Inset Box G3 dark green W312 x D104 x H63	

All prices excluding statutory VAT and delivery.

Suggested retail prices.

The publication of this list renders all previous lists invalid.

Product range catalogue valid from 01.04.2023



Your dealer