




4532

2-Arm Universal Pullers with Induction Hardened Spindle and Galvanized Finish



PRODUCT DETAILS

- Universal two-arm pullers
- Made of special steel
- Galvanised finish
- By reversing the arms, the extractor can be used internally or externally
- Strong design with large claw surfaces
- Body, arms and links are drop forged
- Wear-resistant, induction hardened spindles starting in size C
- 4532K Pair of spare arms
- 4532LK Pair of long spare arms
- 4532/S Spare spindle
- Large claw surfaces offer many advantages for careful and quick removal of pulleys, gears and ball bearings
- Externally-internally reversible by relocating arms
- Finish: Galvanised, with induction hardened spindle, from 4532-C, D, E, F, G and H
- Arms always grip parallel to each other



Follow the Fish!



Follow the Fish!



PRODUCT ATTRIBUTES

Product: 4532-A <table border="1"> <tr> <td>a</td> <td>25-80 mm</td> <td>b</td> <td>100 mm</td> <td>C</td> <td>70-130 mm</td> </tr> <tr> <td>A</td> <td>4.5 to</td> <td>A</td> <td>45 kN</td> <td>A</td> <td>3 mm</td> </tr> <tr> <td>B</td> <td>13 mm</td> <td>C</td> <td>25 mm</td> <td>D</td> <td>20 mm</td> </tr> <tr> <td>G</td> <td>M14x1.5x135 mm</td> <td>g</td> <td>17 mm</td> <td>g</td> <td>1000 g</td> </tr> </table>	a	25-80 mm	b	100 mm	C	70-130 mm	A	4.5 to	A	45 kN	A	3 mm	B	13 mm	C	25 mm	D	20 mm	G	M14x1.5x135 mm	g	17 mm	g	1000 g	Product: 4532-AL <table border="1"> <tr> <td>a</td> <td>25-80 mm</td> <td>b</td> <td>200 mm</td> <td>C</td> <td>70-130 mm</td> </tr> <tr> <td>A</td> <td>4.5 to</td> <td>A</td> <td>45 kN</td> <td>A</td> <td>3 mm</td> </tr> <tr> <td>B</td> <td>13 mm</td> <td>C</td> <td>25 mm</td> <td>D</td> <td>20 mm</td> </tr> <tr> <td>G</td> <td>M14x1.5x135 mm</td> <td>g</td> <td>17 mm</td> <td>g</td> <td>1400 g</td> </tr> </table>	a	25-80 mm	b	200 mm	C	70-130 mm	A	4.5 to	A	45 kN	A	3 mm	B	13 mm	C	25 mm	D	20 mm	G	M14x1.5x135 mm	g	17 mm	g	1400 g
a	25-80 mm	b	100 mm	C	70-130 mm																																												
A	4.5 to	A	45 kN	A	3 mm																																												
B	13 mm	C	25 mm	D	20 mm																																												
G	M14x1.5x135 mm	g	17 mm	g	1000 g																																												
a	25-80 mm	b	200 mm	C	70-130 mm																																												
A	4.5 to	A	45 kN	A	3 mm																																												
B	13 mm	C	25 mm	D	20 mm																																												
G	M14x1.5x135 mm	g	17 mm	g	1400 g																																												
Product: 4532-B <table border="1"> <tr> <td>a</td> <td>25-130 mm</td> <td>b</td> <td>100 mm</td> <td>C</td> <td>80-180 mm</td> </tr> <tr> <td>A</td> <td>4.5 to</td> <td>A</td> <td>45 kN</td> <td>A</td> <td>3 mm</td> </tr> <tr> <td>B</td> <td>13 mm</td> <td>C</td> <td>25 mm</td> <td>D</td> <td>20 mm</td> </tr> <tr> <td>G</td> <td>M14x1.5x135 mm</td> <td>g</td> <td>17 mm</td> <td>g</td> <td>1220 g</td> </tr> </table>	a	25-130 mm	b	100 mm	C	80-180 mm	A	4.5 to	A	45 kN	A	3 mm	B	13 mm	C	25 mm	D	20 mm	G	M14x1.5x135 mm	g	17 mm	g	1220 g	Product: 4532-BL <table border="1"> <tr> <td>a</td> <td>25-130 mm</td> <td>b</td> <td>200 mm</td> <td>C</td> <td>80-180 mm</td> </tr> <tr> <td>A</td> <td>4.5 to</td> <td>A</td> <td>45 kN</td> <td>A</td> <td>3 mm</td> </tr> <tr> <td>B</td> <td>13 mm</td> <td>C</td> <td>25 mm</td> <td>D</td> <td>20 mm</td> </tr> <tr> <td>G</td> <td>M14x1.5x135 mm</td> <td>g</td> <td>17 mm</td> <td>g</td> <td>1590 g</td> </tr> </table>	a	25-130 mm	b	200 mm	C	80-180 mm	A	4.5 to	A	45 kN	A	3 mm	B	13 mm	C	25 mm	D	20 mm	G	M14x1.5x135 mm	g	17 mm	g	1590 g
a	25-130 mm	b	100 mm	C	80-180 mm																																												
A	4.5 to	A	45 kN	A	3 mm																																												
B	13 mm	C	25 mm	D	20 mm																																												
G	M14x1.5x135 mm	g	17 mm	g	1220 g																																												
a	25-130 mm	b	200 mm	C	80-180 mm																																												
A	4.5 to	A	45 kN	A	3 mm																																												
B	13 mm	C	25 mm	D	20 mm																																												
G	M14x1.5x135 mm	g	17 mm	g	1590 g																																												
Product: 4532-C <table border="1"> <tr> <td>a</td> <td>50-160 mm</td> <td>b</td> <td>150 mm</td> <td>C</td> <td>105-220 mm</td> </tr> <tr> <td>A</td> <td>6.5 to</td> <td>A</td> <td>65 kN</td> <td>A</td> <td>4 mm</td> </tr> <tr> <td>B</td> <td>16 mm</td> <td>C</td> <td>35 mm</td> <td>D</td> <td>25 mm</td> </tr> <tr> <td>G</td> <td>1/2"x14x210 mm</td> <td>g</td> <td>22 mm</td> <td>g</td> <td>3000 g</td> </tr> </table>	a	50-160 mm	b	150 mm	C	105-220 mm	A	6.5 to	A	65 kN	A	4 mm	B	16 mm	C	35 mm	D	25 mm	G	1/2"x14x210 mm	g	22 mm	g	3000 g	Product: 4532-CL <table border="1"> <tr> <td>a</td> <td>50-160 mm</td> <td>b</td> <td>300 mm</td> <td>C</td> <td>105-220 mm</td> </tr> <tr> <td>A</td> <td>6.5 to</td> <td>A</td> <td>65 kN</td> <td>A</td> <td>4 mm</td> </tr> <tr> <td>B</td> <td>16 mm</td> <td>C</td> <td>35 mm</td> <td>D</td> <td>25 mm</td> </tr> <tr> <td>G</td> <td>1/2"x14x210 mm</td> <td>g</td> <td>22 mm</td> <td>g</td> <td>3870 g</td> </tr> </table>	a	50-160 mm	b	300 mm	C	105-220 mm	A	6.5 to	A	65 kN	A	4 mm	B	16 mm	C	35 mm	D	25 mm	G	1/2"x14x210 mm	g	22 mm	g	3870 g
a	50-160 mm	b	150 mm	C	105-220 mm																																												
A	6.5 to	A	65 kN	A	4 mm																																												
B	16 mm	C	35 mm	D	25 mm																																												
G	1/2"x14x210 mm	g	22 mm	g	3000 g																																												
a	50-160 mm	b	300 mm	C	105-220 mm																																												
A	6.5 to	A	65 kN	A	4 mm																																												
B	16 mm	C	35 mm	D	25 mm																																												
G	1/2"x14x210 mm	g	22 mm	g	3870 g																																												
Product: 4532-D <table border="1"> <tr> <td>a</td> <td>60-200 mm</td> <td>b</td> <td>150 mm</td> <td>C</td> <td>120-270 mm</td> </tr> <tr> <td>A</td> <td>6.5 to</td> <td>A</td> <td>65 kN</td> <td>A</td> <td>4 mm</td> </tr> <tr> <td>B</td> <td>16 mm</td> <td>C</td> <td>35 mm</td> <td>D</td> <td>25 mm</td> </tr> <tr> <td>G</td> <td>1/2"x14x210 mm</td> <td>g</td> <td>22 mm</td> <td>g</td> <td>3200 g</td> </tr> </table>	a	60-200 mm	b	150 mm	C	120-270 mm	A	6.5 to	A	65 kN	A	4 mm	B	16 mm	C	35 mm	D	25 mm	G	1/2"x14x210 mm	g	22 mm	g	3200 g	Product: 4532-E <table border="1"> <tr> <td>a</td> <td>80-250 mm</td> <td>b</td> <td>200 mm</td> <td>C</td> <td>160-320 mm</td> </tr> <tr> <td>A</td> <td>11 to</td> <td>A</td> <td>110 kN</td> <td>A</td> <td>5 mm</td> </tr> <tr> <td>B</td> <td>25 mm</td> <td>C</td> <td>54 mm</td> <td>D</td> <td>35 mm</td> </tr> <tr> <td>G</td> <td>3/4"x14x265 mm</td> <td>g</td> <td>27 mm</td> <td>g</td> <td>7080 g</td> </tr> </table>	a	80-250 mm	b	200 mm	C	160-320 mm	A	11 to	A	110 kN	A	5 mm	B	25 mm	C	54 mm	D	35 mm	G	3/4"x14x265 mm	g	27 mm	g	7080 g
a	60-200 mm	b	150 mm	C	120-270 mm																																												
A	6.5 to	A	65 kN	A	4 mm																																												
B	16 mm	C	35 mm	D	25 mm																																												
G	1/2"x14x210 mm	g	22 mm	g	3200 g																																												
a	80-250 mm	b	200 mm	C	160-320 mm																																												
A	11 to	A	110 kN	A	5 mm																																												
B	25 mm	C	54 mm	D	35 mm																																												
G	3/4"x14x265 mm	g	27 mm	g	7080 g																																												
Product: 4532-F <table border="1"> <tr> <td>a</td> <td>80-350 mm</td> <td>b</td> <td>200 mm</td> <td>C</td> <td>160-420 mm</td> </tr> <tr> <td>A</td> <td>11 to</td> <td>A</td> <td>110 kN</td> <td>A</td> <td>5 mm</td> </tr> <tr> <td>B</td> <td>25 mm</td> <td>C</td> <td>54 mm</td> <td>D</td> <td>35 mm</td> </tr> <tr> <td>G</td> <td>3/4"x14x265 mm</td> <td>g</td> <td>27 mm</td> <td>g</td> <td>8000 g</td> </tr> </table>	a	80-350 mm	b	200 mm	C	160-420 mm	A	11 to	A	110 kN	A	5 mm	B	25 mm	C	54 mm	D	35 mm	G	3/4"x14x265 mm	g	27 mm	g	8000 g	Product: 4532-G <table border="1"> <tr> <td>a</td> <td>110-520 mm</td> <td>b</td> <td>200 mm</td> <td>C</td> <td>195-600 mm</td> </tr> <tr> <td>A</td> <td>13 to</td> <td>A</td> <td>130 kN</td> <td>A</td> <td>5 mm</td> </tr> <tr> <td>B</td> <td>25 mm</td> <td>C</td> <td>54 mm</td> <td>D</td> <td>35 mm</td> </tr> <tr> <td>G</td> <td>3/4"x14x265 mm</td> <td>g</td> <td>27 mm</td> <td>g</td> <td>14000 g</td> </tr> </table>	a	110-520 mm	b	200 mm	C	195-600 mm	A	13 to	A	130 kN	A	5 mm	B	25 mm	C	54 mm	D	35 mm	G	3/4"x14x265 mm	g	27 mm	g	14000 g
a	80-350 mm	b	200 mm	C	160-420 mm																																												
A	11 to	A	110 kN	A	5 mm																																												
B	25 mm	C	54 mm	D	35 mm																																												
G	3/4"x14x265 mm	g	27 mm	g	8000 g																																												
a	110-520 mm	b	200 mm	C	195-600 mm																																												
A	13 to	A	130 kN	A	5 mm																																												
B	25 mm	C	54 mm	D	35 mm																																												
G	3/4"x14x265 mm	g	27 mm	g	14000 g																																												
Product: 4532-G-SO <table border="1"> <tr> <td>a</td> <td>110-520 mm</td> <td>b</td> <td>300 mm</td> <td>C</td> <td>195-600 mm</td> </tr> <tr> <td>A</td> <td>13 to</td> <td>A</td> <td>130 kN</td> <td>A</td> <td>5 mm</td> </tr> <tr> <td>B</td> <td>25 mm</td> <td>C</td> <td>54 mm</td> <td>D</td> <td>35 mm</td> </tr> <tr> <td>G</td> <td>3/4"x14x265 mm</td> <td>g</td> <td>27 mm</td> <td>g</td> <td>14000 g</td> </tr> </table>	a	110-520 mm	b	300 mm	C	195-600 mm	A	13 to	A	130 kN	A	5 mm	B	25 mm	C	54 mm	D	35 mm	G	3/4"x14x265 mm	g	27 mm	g	14000 g	Product: 4532-H <table border="1"> <tr> <td>a</td> <td>170-640 mm</td> <td>b</td> <td>225 mm</td> <td>C</td> <td>260-715 mm</td> </tr> <tr> <td>A</td> <td>18 to</td> <td>A</td> <td>180 kN</td> <td>A</td> <td>10 mm</td> </tr> <tr> <td>B</td> <td>33 mm</td> <td>C</td> <td>55 mm</td> <td>D</td> <td>50 mm</td> </tr> <tr> <td>G</td> <td>1"x14x305 mm</td> <td>g</td> <td>36 mm</td> <td>g</td> <td>23000 g</td> </tr> </table>	a	170-640 mm	b	225 mm	C	260-715 mm	A	18 to	A	180 kN	A	10 mm	B	33 mm	C	55 mm	D	50 mm	G	1"x14x305 mm	g	36 mm	g	23000 g
a	110-520 mm	b	300 mm	C	195-600 mm																																												
A	13 to	A	130 kN	A	5 mm																																												
B	25 mm	C	54 mm	D	35 mm																																												
G	3/4"x14x265 mm	g	27 mm	g	14000 g																																												
a	170-640 mm	b	225 mm	C	260-715 mm																																												
A	18 to	A	180 kN	A	10 mm																																												
B	33 mm	C	55 mm	D	50 mm																																												
G	1"x14x305 mm	g	36 mm	g	23000 g																																												
Product: 4532K1 <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td>100 mm</td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td>3 mm</td> </tr> <tr> <td>B</td> <td>13 mm</td> <td>C</td> <td>25 mm</td> <td>D</td> <td>20 mm</td> </tr> <tr> <td>G</td> <td></td> <td>g</td> <td></td> <td>g</td> <td>480 g</td> </tr> </table>	a		b	100 mm	C		A		A		A	3 mm	B	13 mm	C	25 mm	D	20 mm	G		g		g	480 g	Product: 4532K2 <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td>150 mm</td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td>4 mm</td> </tr> <tr> <td>B</td> <td>16 mm</td> <td>C</td> <td>35 mm</td> <td>D</td> <td>25 mm</td> </tr> <tr> <td>G</td> <td></td> <td>g</td> <td></td> <td>g</td> <td>1250 g</td> </tr> </table>	a		b	150 mm	C		A		A		A	4 mm	B	16 mm	C	35 mm	D	25 mm	G		g		g	1250 g
a		b	100 mm	C																																													
A		A		A	3 mm																																												
B	13 mm	C	25 mm	D	20 mm																																												
G		g		g	480 g																																												
a		b	150 mm	C																																													
A		A		A	4 mm																																												
B	16 mm	C	35 mm	D	25 mm																																												
G		g		g	1250 g																																												
Product: 4532K3 <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td>200 mm</td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td>5 mm</td> </tr> <tr> <td>B</td> <td>25 mm</td> <td>C</td> <td>54 mm</td> <td>D</td> <td>35 mm</td> </tr> <tr> <td>G</td> <td></td> <td>g</td> <td></td> <td>g</td> <td>3040 g</td> </tr> </table>	a		b	200 mm	C		A		A		A	5 mm	B	25 mm	C	54 mm	D	35 mm	G		g		g	3040 g	Product: 4532K4 <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td>225 mm</td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td>10 mm</td> </tr> <tr> <td>B</td> <td>33 mm</td> <td>C</td> <td>55 mm</td> <td>D</td> <td>50 mm</td> </tr> <tr> <td>G</td> <td></td> <td>g</td> <td></td> <td>g</td> <td>4130 g</td> </tr> </table>	a		b	225 mm	C		A		A		A	10 mm	B	33 mm	C	55 mm	D	50 mm	G		g		g	4130 g
a		b	200 mm	C																																													
A		A		A	5 mm																																												
B	25 mm	C	54 mm	D	35 mm																																												
G		g		g	3040 g																																												
a		b	225 mm	C																																													
A		A		A	10 mm																																												
B	33 mm	C	55 mm	D	50 mm																																												
G		g		g	4130 g																																												
Product: 4532LK1 <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td>200 mm</td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td>3 mm</td> </tr> <tr> <td>B</td> <td>13 mm</td> <td>C</td> <td>25 mm</td> <td>D</td> <td>20 mm</td> </tr> <tr> <td>G</td> <td></td> <td>g</td> <td></td> <td>g</td> <td>920 g</td> </tr> </table>	a		b	200 mm	C		A		A		A	3 mm	B	13 mm	C	25 mm	D	20 mm	G		g		g	920 g	Product: 4532LK2 <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td>300 mm</td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td>4 mm</td> </tr> <tr> <td>B</td> <td>16 mm</td> <td>C</td> <td>35 mm</td> <td>D</td> <td>25 mm</td> </tr> <tr> <td>G</td> <td></td> <td>g</td> <td></td> <td>g</td> <td>2210 g</td> </tr> </table>	a		b	300 mm	C		A		A		A	4 mm	B	16 mm	C	35 mm	D	25 mm	G		g		g	2210 g
a		b	200 mm	C																																													
A		A		A	3 mm																																												
B	13 mm	C	25 mm	D	20 mm																																												
G		g		g	920 g																																												
a		b	300 mm	C																																													
A		A		A	4 mm																																												
B	16 mm	C	35 mm	D	25 mm																																												
G		g		g	2210 g																																												
Product: 4532LK3 <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td>300 mm</td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td>5 mm</td> </tr> <tr> <td>B</td> <td>25 mm</td> <td>C</td> <td>54 mm</td> <td>D</td> <td>35 mm</td> </tr> <tr> <td>G</td> <td></td> <td>g</td> <td></td> <td>g</td> <td>4500 g</td> </tr> </table>	a		b	300 mm	C		A		A		A	5 mm	B	25 mm	C	54 mm	D	35 mm	G		g		g	4500 g	Product: 4532LK4 <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td>400 mm</td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td>5 mm</td> </tr> <tr> <td>B</td> <td>25 mm</td> <td>C</td> <td>54 mm</td> <td>D</td> <td>35 mm</td> </tr> <tr> <td>G</td> <td></td> <td>g</td> <td></td> <td>g</td> <td>5860 g</td> </tr> </table>	a		b	400 mm	C		A		A		A	5 mm	B	25 mm	C	54 mm	D	35 mm	G		g		g	5860 g
a		b	300 mm	C																																													
A		A		A	5 mm																																												
B	25 mm	C	54 mm	D	35 mm																																												
G		g		g	4500 g																																												
a		b	400 mm	C																																													
A		A		A	5 mm																																												
B	25 mm	C	54 mm	D	35 mm																																												
G		g		g	5860 g																																												
Product: 4532LK5 <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td>500 mm</td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td>5 mm</td> </tr> <tr> <td>B</td> <td>25 mm</td> <td>C</td> <td>54 mm</td> <td>D</td> <td>35 mm</td> </tr> <tr> <td>G</td> <td></td> <td>g</td> <td></td> <td>g</td> <td>7230 g</td> </tr> </table>	a		b	500 mm	C		A		A		A	5 mm	B	25 mm	C	54 mm	D	35 mm	G		g		g	7230 g	Product: 4532-OAB/S <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td></td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td></td> </tr> <tr> <td>B</td> <td></td> <td>C</td> <td></td> <td>D</td> <td></td> </tr> <tr> <td>G</td> <td>M14x1.5x135 mm</td> <td>g</td> <td>17 mm</td> <td>g</td> <td>170 g</td> </tr> </table>	a		b		C		A		A		A		B		C		D		G	M14x1.5x135 mm	g	17 mm	g	170 g
a		b	500 mm	C																																													
A		A		A	5 mm																																												
B	25 mm	C	54 mm	D	35 mm																																												
G		g		g	7230 g																																												
a		b		C																																													
A		A		A																																													
B		C		D																																													
G	M14x1.5x135 mm	g	17 mm	g	170 g																																												
Product: 4532-CD/S <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td></td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td></td> </tr> <tr> <td>B</td> <td></td> <td>C</td> <td></td> <td>D</td> <td></td> </tr> <tr> <td>G</td> <td>G1/2"x14x210 mm</td> <td>g</td> <td>22 mm</td> <td>g</td> <td>570 g</td> </tr> </table>	a		b		C		A		A		A		B		C		D		G	G1/2"x14x210 mm	g	22 mm	g	570 g	Product: 4532-EFG/S <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td></td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td></td> </tr> <tr> <td>B</td> <td></td> <td>C</td> <td></td> <td>D</td> <td></td> </tr> <tr> <td>G</td> <td>G3/4"x14x280 mm</td> <td>g</td> <td>27 mm</td> <td>g</td> <td>1270 g</td> </tr> </table>	a		b		C		A		A		A		B		C		D		G	G3/4"x14x280 mm	g	27 mm	g	1270 g
a		b		C																																													
A		A		A																																													
B		C		D																																													
G	G1/2"x14x210 mm	g	22 mm	g	570 g																																												
a		b		C																																													
A		A		A																																													
B		C		D																																													
G	G3/4"x14x280 mm	g	27 mm	g	1270 g																																												
Product: 4532-H/S <table border="1"> <tr> <td>a</td> <td></td> <td>b</td> <td></td> <td>C</td> <td></td> </tr> <tr> <td>A</td> <td></td> <td>A</td> <td></td> <td>A</td> <td></td> </tr> <tr> <td>B</td> <td></td> <td>C</td> <td></td> <td>D</td> <td></td> </tr> <tr> <td>G</td> <td>G1"x11x310 mm</td> <td>g</td> <td>36 mm</td> <td>g</td> <td>2150 g</td> </tr> </table>	a		b		C		A		A		A		B		C		D		G	G1"x11x310 mm	g	36 mm	g	2150 g																									
a		b		C																																													
A		A		A																																													
B		C		D																																													
G	G1"x11x310 mm	g	36 mm	g	2150 g																																												

Follow the Fish!

Contact: info@bahco.com / www.bahco.com

